

Publikationen zur Epilepsiechirurgie (Auswahl)

Cloppenburg T, Albers K, Kalbhenn T, Woermann FG, Bien CG, Polster T. Hyperkinetic Seizures with Ictal Fear as Localizing Ictal Signs in MRI-Negative Medial Frontal Lobe Epilepsy. *Neuropediatrics* 2021;52:44-47

Lamberink HJ, Otte WM, Blümcke I, Braun KPJ, European Epilepsy Brain Bank writing group [incl. CG Bien], study group, European Reference Network EpiCARE. Seizure outcome and use of antiepileptic drugs after epilepsy surgery according to histopathological diagnosis: a retrospective multicentre cohort study. *Lancet Neurol* 2020;19:748-757.

Kalbhenn T, Cloppenburg T, Wormann FG, Blumcke I, Coras R, May TW, Polster T, Simon M, Bien CG. Operative posterior disconnection in epilepsy surgery: Experience with 29 patients. *Epilepsia* 2019;60:1973-1983.

Grewe P, Schulz R, Woermann FG, Brandt C, Doll A, Hoppe M, Tomka-Hoffmeister M, Bien CG. Very long-term outcome in resected and non-resected patients with temporal lobe epilepsy with medial temporal lobe sclerosis: A multiple case-study. *Seizure* 2019;67:30-37.

Cloppenburg T, May TW, Blumcke I, Fauser S, Grewe P, Hopf JL, Kalbhenn T, Polster T, Schulz R, Woermann FG, Bien CG. Differences in pediatric and adult epilepsy surgery: A comparison at one center from 1990 to 2014. *Epilepsia* 2019;60:233-245.

Bremm FJ, Hendriks MPH, Bien CG, Grewe P. Pre- and postoperative verbal memory and executive functioning in frontal versus temporal lobe epilepsy. *Epilepsy Behav* 2019;101:106538.

Blumcke I, Spreafico R, Haaker G, Coras R, Kobow K, Bien CG, Pfäfflin M, Elger C, Widman G, Schramm J, Becker A, Braun KP, Leijten F, Baayen JC, Aronica E, Chassoux F, Hamer H, Stefan H, Rössler K, Thom M, Walker MC, Sisodiya SM, Duncan JS, McEvoy AW, Pieper T, Holthausen H, Kudernatsch M, Meencke HJ, Kahane P, Schulze-Bonhage A, Zentner J, Heiland DH, Urbach H, Steinhoff BJ, Bast T, Tassi L, Lo Russo G, Özkara C, Oz B, Krsek P, Vogelgesang S, Runge U, Lerche H, Weber Y, Honavar M, Pimentel J, Arzimanoglou A, Ulate-Campos A, Noachtar S, Hartl E, Schijns O, Guerrini R, Barba C, Jacques TS, Cross JH, Feucht M, Muhlebner A, Grunwald T, Trinka E, Winkler PA, Gil-Nagel A, Toledano Delgado R, Mayer T, Lutz M, Zountsas B, Garganis K, Rosenow F, Hermsen A, von Oertzen TJ, Diepgen TL, Avanzini G. Histopathological Findings in Brain Tissue Obtained during Epilepsy Surgery. *N Engl J Med* 2017;377:1648-1656.

Koch-Stoecker SC, Bien CG, Schulz R, May TW. Psychiatric lifetime diagnoses are associated with a reduced chance of seizure freedom after temporal lobe surgery. *Epilepsia* 2017;58:983-993.

Cloppenburg T, May TW, Blumcke I, Grewe P, Hopf LJ, Kalbhenn T, Pfäfflin M, Polster T, Schulz R, Woermann FG, Bien CG. Trends in epilepsy surgery: stable surgical numbers despite increasing presurgical volumes. *J Neurol Neurosurg Psychiatry* 2016;87:1322-1329.

Thorbecke R, May TW, Koch-Stoecker S, Ebner A, Bien CG, Specht U. Effects of an inpatient rehabilitation program after temporal lobe epilepsy surgery and other factors on employment 2 years after epilepsy surgery. *Epilepsia* 2014;55:725-733.